

# CARNAVAL

## ***BOAT TRAILERS***



***Ultimate  
in Quality!***

***19103 E. CATALDO AVE SPOKANE VALLEY, WA 99016 509-922-4490***



# CARNAI

*The Ultimate in Quality*

19103 E. Cataldo Ave. Spokane Valley, WA 99016

(509) 228-9510

**SBS-12-2400**


**\*\*The 12' trailer has same payload, appearance, & tires\*\***

**SBS-14-2400**

**Payload 2400 – Tire Size: ST185/80D13C**

**SBST-16-2800**

**Payload 2800 – Tire Size: ST185/80D13C**





# CARNAI

*The Ultimate in Quality*

19103 E. Cataldo Ave. Spokane Valley, WA 99016

(509) 228-9510



**WT-1-1200XL**

**Payload 1200 - Tire Size: 480 X 12B**



**WT-2-2400XL**

**Payload 2400 - Tire Size: ST185/80D13D**



# CARNIVAL

## LAZER MODELS

Its tracks are low and wide. Its sleek silhouette commands more than a mere glance. With visible brawn and muscle, it takes a position of dominance.



**LN-1618-2200**



**L-1618-2325**



**L-1618-2800**



**L-1820-3800**

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
LN 1618	1700	13"	78/92
LN 1618	2200	13"	78/92
LN 1618	2400	13"	78/92
LN 1618	3000	14"	78/92
L 1618	2325	14"	*
L 1618	2800	14"	*
L 1618	3020	14"	*
L 1618	3395	15"	84/102
L 1820	2900	14"	*
L 1820	3800	15"	*

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102



# CARNIVAL

## LAZER MODELS



**LXT-1820-3500**



**LXT-1820-4000**



**LXT-1821-4400**



**LXT-2123-5400**



**LXT-2527-8800**

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
LT 1820	3500	13"	*
LXT 1820	4000	13"	84/102
LXT 1821	4400	14"	82/102
LXT 1821	4800	14"	82/102
LXT 2123	5400	14"	82/102
LXT 2123	6000	14"	82/102
LXT 2123	6800	15"	82/102
LXT 2325	6800	15"	82/102
LXT 2325	7800	15"	82/102
LXT 2527	7800	15"	82/102
LXT 2527	8800	16"	82/102
LXT 2527	9100	15"	82/102
LXT 2527	11000	15"	82/102
LTB 2831	9000	15"	82/102
LTB 2831	12000	15"	82/102

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102



# CARNAI

## CONCEPT MODELS

Recognizing the evolving demands of today's boating enthusiasts, the CARNAI "Concept" and Centerline Support System were developed to set new standards for hull support performance.



**CN-1618-2200**



**C-1618-2325**



**C-1618-3020**



**C-1820-3800**

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
CN 1618	1700	13"	78/92
CN 1618	2200	13"	78/92
CN 1618	2400	13"	78/92
CN 1618	3000	14"	78/92
C 1618	2325	14"	*
C 1618	2800	14"	*
C 1618	3020	14"	*
C 1618	3395	15"	84/102
C 1820	2900	14"	*
C 1820	3800	15"	*

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102



# CARNAVAL

## CONCEPT MODELS

**CXT-1820-4000**



**CXT-1821-4400**



**CXT-2123-6000**



**CXT-2527-8800**



**CXT-2325-7800**



MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
CT 1820	3500	13"	*
CXT 1820	4000	13"	84/102
CXT 1821	4400	14"	82/102
CXT 1821	4800	14"	82/102
CXT 2123	5400	14"	82/102
CXT 2123	6000	14"	82/102
CXT 2123	6800	15"	82/102
CXT 2325	6800	15"	82/102
CXT 2325	7800	15"	82/102
CXT 2527	7800	15"	82/102
CXT 2527	8800	15"	82/102

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102



# CARNAV

## CONCEPT MODELS



**CTB-2831-9000**



**CTB-2527-9100**



**CTB-2527-11000**



**CTB-2831-12000**

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
CTB 2527	9100	15"	82/102
CTB 2527	11000	15"	82/102
CTB 2831	9000	15"	82/102
CTB 2831	12000	15"	82/102



# CARNAVAL

## CONCEPT RB ROLLER BUNK MODELS

Experience Unmatched Performance with Concept RB Roller Bunk Models.

Our innovative design seamlessly combines rear rollers for effortless launching and retrieval with plush carpeted bunks that gently cradle your boat's hull. This winning combination delivers superior performance that will exceed the expectations of even the most discerning boaters.

**RB-1618-2750**



**RB-1820-3800**



**LN-RBXT-1820-4000**



**RBXT-1821-4400**



MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
RBN 1618	2950	14"	78/92
RB 1618	2250	14"	*
RB 1618	2750	14"	*
RB 1618	2950	14"	*
RB 1618	3350	15"	*
RB 1820	2875	14"	*
RB 1820	3800	15"	*
RBT 1820	3500	13"	*
RBXT 1820	4000	13"	84/102
RBXT 1821	4400	14"	82/102
RBXT 1821	4800	14"	82/102
RBXT 2123	5250	14"	82/102
RBXT 2123	5800	14"	82/102

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102



# CARNAI

## ROLLER MODELS

In keeping with the CARNAI legacy of unparalleled boat trailer innovation, we proudly introduce our All-Roller Models, featuring the revolutionary Roller Chine Support System. This system, built upon the proven advantage of center keel roll support, ensures effortless launching and loading for boats from 16' to 29' with payloads ranging from 2150 lbs. to 9100 lbs. Experience the pinnacle of boating convenience with CARNAI All-Roller trailers.

**R-1618-2325**



**R-1820-3800**



**RXT-2527-8600**



**RTR-2527-9100**



MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
RN 1618	2150	13"	78/92
RN 1618	2400	13"	78/92
R 1618	2325	14"	*
R 1618	2725	14"	*
R 1618	2950	14"	*
R 1820	2875	14"	*
R 1820	3750	15"	*
RT 1820	3500	13"	*
RXT 1820	4000	13"	84/102
RXT 1821	4400	14"	82/102
RXT 1821	4800	14"	82/102
RXT 2123	5400	14"	82/102
RXT 2123	5800	14"	82/102
RXT 2123	6800	15"	82/102
RXT 2325	6800	15"	82/102
RXT 2325	7800	15"	82/102
RXT 2527	7800	15"	82/102
RXT 2527	8600	16"	82/102
RXT 2527	9100	15"	82/102
RTR 2831	9000	15"	82/102

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102



# CARNIVAL

Quality, value & performance best describe the Tuffy Series. Built with the highest quality materials available and good-old American craftsmanship, the Tuffy is simply the best value choice for today's smaller fishing boats.

## TUFFY BUNK MODELS



**TFS-14-1000**



**TFY-16-1200**



**TFY-16-1700**



**TFY-17-1750**



**TFM-18-2100**



**TFS-16-1000K**

MODEL	PAYLOAD	TIRE SIZE	WIDTH LF/OA
TFS 16	1000	12"	46/60

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
TFS 14	600	8"	46/61
TFS 14	1000	12"	46/61
TFS 16	1000	12"	46/61
TFY 14	1200	12"	46/61
TFY 16	1200	12"	46/61
TFY 16	1340	12"	57/72
TFY 16	1700	13"	57/72
TFY 17	1750	13"	65/80
TFY 17	2100	13"	65/80
TFM 17	1750	13"	71/86
TFM 17	2100	13"	71/86
TFM 18	2100	13"	71/86
TFM 20	2100	13"	71/86
TFM 18	2150	13"	78/92
TFM 20	2150	13"	78/92



# CARNAVAL

## SPECIALTY MODELS

**SC-16-1175**



**CWS-2224-2000**



**PB-1820-2100**



**PBT-2224-4000**



**Z-14-600**



MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F./O.A.
Z 14	600	8"	40/52
Z 14	600	12"	40/52
HC 14	575	12"	52
SC 16	1175	12"	82/96
SC 20	1150	12"	82/96
CWS 2224	2000	14"	80/96
RWS 2224	2000	14"	80/96
TFJ 20	1600	13"	57/72
PB 1618	2150	13"	86/102
PB 1820	2150	13"	86/102
PBT 1820	3800	13"	86/102
PBT 2224	4000	13"	86/102
PBT 2628	4000	13"	86/102
PBT 2628	4800	14"	86/102





# FULL-LINE TRAILER SPECIFICATIONS

## CONCEPT PLUS ROLLER/BUNK MODELS

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F.	LENGTH	WEIGHT
RBN 1618	2950	ST215/75D14C	78/92	19.6'	770
RB 1618	2250	ST205/75D14C	*	19.6'	748
RB 1618	2750	ST205/75D14C	*	19.6'	754
RB 1618	2950	ST215/75D14C	*	19.6'	790
RB 1618	3350	ST225/75D15D	*	19.6'	832
RB 1820	2875	ST215/75D14C	*	22.0'	765
RB 1820	3800	ST225/75D15D	*	22.3'	915
RBT 1820	3500	ST175/80D13C	*	22.3'	1112
RBXT 1820	4000	ST175/80D13C	84/102	22.3'	1220
RBXT 1821	4400	ST205/75D14C	82/102	23.6'	1226
RBXT 1821	4800	ST205/75D14C	82/102	23.6'	1246
RBXT 2123	5250	ST205/75D14C	82/102	25.0'	1480
RBXT 2123	5800	ST215/75D14C	82/102	25.0'	1510

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102

## TUFFY MODELS

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F.	LENGTH	WEIGHT
TFS 14	600	480 X 8B	46/61	16.0'	230
TFS 14	1000	480 X 12B	46/61	16.0'	250
TFS 16	1000	480 X 12B	46/61	17.6'	258
TFY 14	1200	480 X 12B	46/61	15.2'	290
TFY 16	1200	480 X 12B	46/61	17.5'	297
TFY 16	1340	530 X 12B	57/72	17.5'	340
TFY 16	1700	ST175/80D13C	57/72	17.5'	365
TFY 17	1750	ST175/80D13C	65/80	18.5'	448
TFY 17	2100	ST175/80D13C	65/80	18.5'	452
TFM 17	1750	ST175/80D13C	71/86	18.5'	448
TFM 17	2100	ST175/80D13C	71/86	18.5'	452
TFM 18	2100	ST175/80D13C	71/86	20.2'	536
TFM 20	2100	ST175/80D13C	71/86	22.5'	546
TFN 18	2150	ST175/80D13C	78/92	19.5'	568
TFN 20	2150	ST175/80D13C	78/92	21.5'	578

## CONCEPT BUNK MODELS

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F.	LENGTH	WEIGHT
CN 1618	1700	ST175/80D13C	78/92	18.8'	491
CN 1618	2200	ST175/80D13C	78/92	18.8'	514
CN 1618	2400	ST175/80D13D	78/92	18.8'	530
CN 1618	3000	ST215/75D14C	78/92	19.0'	707
C 1618	2325	ST205/75D14C	*	19.3'	698
C 1618	2800	ST205/75D14C	*	19.3'	708
C 1618	3020	ST215/75D14C	*	19.3'	720
C 1618	3395	ST225/75D15D	84/102	19.3'	742
C 1820	2900	ST215/75D14C	*	21.75'	790
C 1820	3800	ST225/75D15D	*	21.75'	1005
CT 1820	3500	ST175/80D13C	*	22.3'	981
CXT 1820	4000	ST175/80D13C	84/102	22.3'	1104
CXT 1821	4400	ST205/75D14C	82/102	23.3'	1110
CXT 1821	4800	ST205/75D14C	82/102	23.3'	1130
CXT 2123	5400	ST205/75D14C	82/102	25.0'	1375
CXT 2123	6000	ST215/75D14C	82/102	25.0'	1388
CXT 2123	6800	ST225/75D15D	82/102	25.0'	1586
CXT 2325	6800	ST225/75D15D	82/102	28.0'	1718
CXT 2325	7800	ST225/75D15D	82/102	28.0'	1820
CXT 2527	7800	ST225/75D15D	82/102	29.75'	1842
CXT 2527	8800	ST235/75D16E	82/102	29.75'	1842
CTB 2527	9100	ST225/75D15D	82/102	30.0'	2150
CTB 2527	11000	ST225/75D15D	82/102	30.0'	2374
CTB 2831	9000	ST225/75D15D	82/102	33.0'	2248
CTB 2831	12000	ST225/75D15D	82/102	33.0'	2735

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102

## ROLLER MODELS

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F.	LENGTH	WEIGHT
RN 1618	2150	ST175/80D13C	78/92	18.8'	520
RN 1618	2400	ST175/80D13D	78/92	18.8'	542
R 1618	2325	ST205/75D14C	*	19.3'	788
R 1618	2725	ST205/75D14C	*	19.3'	801
R 1618	2950	ST215/75D14C	*	19.3'	808
R 1820	2875	ST215/75D14C	*	21.75'	873
R 1820	3750	ST225/75D15D	*	21.75'	1010
RT 1820	3500	ST175/80D13C	*	22.3'	1088
RXT 1820	4000	ST175/80D13C	84/102	22.3'	1166
RXT 1821	4400	ST205/75D14C	82/102	23.3'	1240
RXT 1821	4800	ST205/75D14C	82/102	23.3'	1368
RXT 2123	5400	ST205/75D14C	82/102	25.0'	1626
RXT 2123	5800	ST215/75D14C	82/102	25.0'	1644
RXT 2123	6800	ST225/75D15D	82/102	25.0'	1758
RXT 2325	6800	ST225/75D15D	82/102	28.0'	1813
RXT 2325	7800	ST225/75D15D	82/102	28.0'	1841
RXT 2527	7800	ST225/75D15D	82/102	29.75'	1946
RXT 2527	8600	235/75R 16E	82/102	29.75'	2034
RTR 2527	9100	ST225/75D15D	82/102	30.0'	2282
RTR 2831	9000	ST225/75D15D	82/102	30.0'	2470

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102





## FULL-LINE TRAILER SPECIFICATIONS

### LAZER MODELS

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F.	LENGTH	WEIGHT
LN 1618	1700	ST175/80D13C	78/92	18.8'	491
LN 1618	2200	ST175/80D13C	78/92	18.8'	514
LN 1618	2400	ST175/80D13D	78/92	18.8'	530
LN 1618	3000	ST215/75D14C	78/92	19.0'	707
L 1618	2325	ST205/75D14C	*	19.3'	698
L 1618	2800	ST205/75D14C	*	19.3'	708
L 1618	3020	ST215/75D14C	*	19.3'	720
L 1618	3395	ST225/75D15D	84/102	19.3'	742
L 1820	2900	ST215/75D14C	*	21.75'	790
L 1820	3800	ST225/75D15D	*	21.75'	1005
LT 1820	3500	ST175/80D13C	*	22.3'	987
LXT 1820	4000	ST175/80D13C	84/102	22.3'	1104
LXT 1821	4400	ST205/75D14C	82/102	23.3'	1110
LXT 1821	4800	ST205/75D14C	82/102	23.3'	1130
LXT 2123	5400	ST205/75D14C	82/102	25.0'	1375
LXT 2123	6000	ST215/75D14C	82/102	25.0'	1388
LXT 2123	6800	ST225/75D15D	82/102	25.0'	1586
LXT 2325	6800	ST225/75D15D	82/102	28.0'	1718
LXT 2325	7800	ST225/75D15D	82/102	28.0'	1820
LXT 2527	7800	ST225/75D15D	82/102	29.75'	1842
LXT 2527	8800	ST235/75R16E	82/102	29.75'	1842
LTB 2527	9100	ST225/75D15D	82/102	30.0'	2150
LTB 2527	11000	ST225/75D15D	82/102	30.0'	2374
LTB 2831	9000	ST225/75D15D	82/102	33.0'	2248
LTB 2831	12000	ST225/75D15D	82/102	33.0'	2735

AVAILABLE WIDTHS: "W" FOR 80/96 OR "X" FOR 84/102

### SPECIALTY MODELS

MODEL	PAYLOAD	TIRE SIZE	WIDTH I.F.	LENGTH	WEIGHT
Z 14	600	480 X 8B	40/52	14.0'	179
Z 14	600	480 X 12B	40/52	14.0'	217
HC 14	575	480 X 12B	52	14.0'	198
SC 16	1175	480 X 12B	82/96	17.2'	380
SC 20	1150	480 X 12B	82/96	20.5'	404
CWS 2224	2000	ST205/75D14B	80/96	25.0'	735
RWS 2224	2000	ST205/75D14B	80/96	25.0'	779
TFJ 20	1600	ST175/80D13C	57/72	21.9'	421
PB 1618	2150	ST175/80D13D	86/102	24.3'	870
PB 1820	2150	ST175/80D13D	86/102	26.0'	965
PBT 1820	3800	ST175/80D13D	86/102	26.0'	1163
PBT 2224	4000	ST175/80D13D	86/102	30.0'	1281
PBT 2628	4000	ST175/80D13D	86/102	34.0'	1339
PBT 2628	4800	ST205/75D14C	86/102	34.0'	1378

### WATERCRAFT/ATV MODELS

MODEL	PAYLOAD	TIRE SIZE	WIDTH IF/OF
WT-1-1200XL	1200	480 X 12B	46/61
WT-2-2400XL	2400	ST185/80D13D	87/102
SBS-12-2400	2400	ST185/80D13C	83/98
SBS-14-2400	2400	ST185/80D13C	83/98
SBST-16-2800	2800	ST185/80D13C	83/98

## CARNAI TWO-YEAR LIMITED WARRANTY

Carnai Trailers, Inc. warrants each new Carnai Boat Trailer to be free of defects for a period of two years from the date of purchase. Carnai shall repair or replace, without charge, any covered products, or parts that Carnai manufactures found to be defective because of imperfect workmanship or materials, within a reasonable time after the trailer is returned to any Carnai Boat Trailer authorized distributor or dealer. **WHO IS COVERED:** This warranty is extended to the original consumer purchaser only and does not extend to any other persons to whom the trailer may be transferred. This warranty does not apply if the trailer was purchased for resale or business use. **WHAT IS NOT COVERED:** provisions of this warranty shall not apply to any product, which is found to have been altered or modified in any way, nor shall the warranty apply to any malfunction, or which was caused by damage, unreasonable use or failure to provide reasonable or necessary maintenance. The warranty will not cover damage caused by overloading the trailer beyond stated capacities, or the use of improperly installed weight distribution hitches in conjunction with hydraulic surge brakes. Due to the corrosive conditions that a trailer is exposed to, rust formation on painted surfaces is not covered. Our galvanized trailers are highly recommended for use in or around saltwater areas. This warranty does not cover winches, lights, couplers, brake systems, tongue jacks, springs and tires or wheels, as these items are warranted separately by their respective manufacturers. **NO TRANSPORTATION CHARGES WILL BE PAID BY CARNAI. OTHER LIMITATIONS: ANY IMPLIED WARRANTIES, OBLIGATIONS OR LIABILITIES, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR PARTICULAR PURPOSE, SHALL BE LIMITED IN DURATION TO THE TWO-YEAR DURATION OF THIS WRITTEN LIMITED WARRANTY.** Some states do not allow limitations on how long any implied warranty lasts, so the above limitations may not apply to you. **CARNAI TRAILERS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED.** Some states do not allow limitations of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary, from state to state.



# ***CARNAI BOAT TRAILERS***

**THE CARNAI ADVANTAGE: "DARE TO COMPARE"** – Experience the Carnai Difference. Dependable boat trailers designed for a lifetime of worry-free towing. Dare to Compare

**"INVEST IN PEACE OF MIND"** – Our commitment to using thicker materials in critical areas translates to a more robust and reliable trailer, giving you peace of mind on every journey.

**"ENHANCED STABILITY"** – Wider frames (up to 8'6" on models 2400# and above) provide a lower center of gravity for your boat, improving stability during towing and making launching and loading easier.

**"PROTECT YOUR INVESTMENT"** – Your boat deserves the best. Our "Concept" and Centerline Keel Roller Support System provides superior support, safeguarding your investment during transport and storage.



***WE BELIEVE THAT WHEN YOU "DARE TO COMPARE"***  
***YOUR NEXT TRAILER WILL BE A CARNAI!!!***

Comments or inquiries welcome:

Carnai Trailers, Inc. – 19103 E. Cataldo Ave. – Spokane Valley, WA – USA – 99016  
(509) 228-9510 – Fax: (509) 922-2488

Email: [info@carnai.com](mailto:info@carnai.com)

**SOLD BY:**